### BEST AVAILABLE COPY

**PATENT** 

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Tapas Mukhopadhyay, et al.

Serial No.: 10/043,877

Filed: January 9, 2002

For: ANTIHELMINTHIC DRUGS AS A

TREATMENT FOR

HYPERPROLIFERATIVE DISEASES

Group Art Unit: 1642

Examiner: B. J. Fetterolf

Atty. Dkt. No.: INRP:095US

# SECOND DECLARATION OF TAPAS MUKHOPADHYAY, SUNIL CHADA, ABNER MHASHILKAR, AND JACK A. ROTH UNDER 37 C.F.R. §1.131

- 1. We are the joint inventors of the subject matter claimed in the above-referenced patent application, U.S.S.N. 10/043,887, filed January 9, 2002.
- 2. We are submitting this declaration to set forth facts demonstrating that we both conceived the idea of the invention as reflected in the claims of the above-referenced patent application and determined that it functioned, prior to March 9, 1999.
- 3. Submitted as Exhibit 1 to this declaration is a copy of a FACS assay showing our experiments and results, entitled figures "1A" and "1B" which was prepared prior to March 9, 1999.

- 4. Submitted as Exhibit 2 to this declaration is a copy of our experiments and results in a study of the treatment of p53 wild type lung cancer cells with fenbendazole, which took place prior to March 9, 1999.
- 5. Exhibit 1 shows the results of our cell cycle analysis involving A549 (p53 wild type) non-small cell lung cancer (NSCLC) cells that have been treated with fenbendazole. The results show that the untreated A549 cells (A549C), have a standard profile of cells in various phases of the cell cycle, G1/S/G2, indicating a dominant G1 population. In contrast, the fenbendazole treated cells (A549 7EN) show a depression of both G2 and S phases and a G1 block. Furthermore, the fenbebdazole treated cells show a distinct sub-G0-G1 population indicative of apoptotic cells. We generated the results of this cell cycle analysis prior to March 9, 1999.
- 6. Exhibit 2 shows the results of our study of the treatment of p53 wild type lung cancer with fenbendazole. We determined that treatment of p53 wild type lung cancer cells with fenbendazole inhibits growth. The study evaluated growth of lung cancer cells or normal lung epithelium (NHBEC) after treatment with fenbendazole (labeled FEN in the figure) and other agents. Both H1299 and H322 are p53 deficient NSCLC cells and show modest growth inhibition by fenbendazole after 5-7 days. In contrast, the p53 wild type cells A549 and H460 show dramatic inhibition of cell growth by fenbendazole that is evident by day 1-3 and 50-80% growth inhibition by day 5-7 of treatment. The control normal cells, NHBEX do not show growth inhibition by fenbendazole. We generated the results of this study prior to March 9, 1999.
- 7. All work disclosed in the invention disclosure form was conducted in the United States of America.

- 8. Therefore, the invention as reflected in the claims of the above-referenced patent application was reduced to practice prior to March 9, 1999.
- 9. We hereby declare that all statements made by our own knowledge are true and all statements made on information and belief are believed to be true and further that statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment under § 100 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of this application or any patent issued thereon.

Date	Tapas Mukhopadhyay
07/21/05	Li Ched
Date	Sunil Chada
Date	Abner Mhashilkar
Date	Jack A. Roth

FROM: JOHAR STD

Alfin & Monco OVPE La Parz.

AUG 2 2 2005 8

**PATENT** 

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Tapas Mukhopadhyay, et al.

Serial No.: 10/043,877

Filed: January 9, 2002

For: ANTIHELMINTHIC DRUGS AS A

TREATMENT FOR

HYPERPROLIFERATIVE DISEASES

Group Art Unit: 1642

Examiner: B. J. Fetterolf

Atty. Dkt. No.: INRP:095US

# SECOND DECLARATION OF TAPAS MUKHOPADHYAY, SUNIL CHADA, ABNER MHASHILKAR, AND JACK A. ROTH UNDER 37 C.F.R. §1.131

- 1. We are the joint inventors of the subject matter claimed in the above-reterenced patent application, U.S.S.N. 10/043,887, filed January 9, 2002.
- 2. We are submitting this declaration to set forth facts demonstrating that we both conceived the idea of the invention as reflected in the claims of the above-referenced patent application and determined that it functioned, prior to March 9, 1999.
- 3. Submitted as Exhibit 1 to this declaration is a copy of a FACS assay showing our experiments and results, entitled figures "1A" and "1B" which was prepared prior to March 9, 1999.

- 4. Submitted as Exhibit 2 to this declaration is a copy of our experiments and results in a study of the treatment of p53 wild type lung cancer cells with fenbendazole, which took place prior to March 9, 1999.
- 5. Exhibit 1 shows the results of our cell cycle analysis involving A549 (p53 wild type) non-small cell lung cancer (NSCLC) cells that have been treated with fenbendazole. The results show that the untreated A549 cells (A549C), have a standard profile of cells in various phases of the cell cycle, G1/S/G2, indicating a dominant G1 population. In contrast, the fenbendazole treated cells (A549 7EN) show a depression of both G2 and S phases and a G1 block. Furthermore, the fenbendazole treated cells show a distinct sub-G0-G1 population indicative of apoptotic cells. We generated the results of this cell cycle analysis prior to March 9, 1999.
- 6. Exhibit 2 shows the results of our study of the treatment of p53 wild type lung cancer with fenbendazole. We determined that treatment of p53 wild type lung cancer cells with fenbendazole inhibits growth. The study evaluated growth of lung cancer cells or normal lung epithelium (NHBEC) after treatment with fenbendazole (labeled FEN in the figure) and other agents. Both H1299 and H322 are p53 deficient NSCLC cells and show modest growth inhibition by fenbendazole after 5-7 days. In contrast, the p53 wild type cells A549 and H460 show dramatic inhibition of cell growth by fenbendazole that is evident by day 1-3 and 50-80% growth inhibition by day 5-7 of treatment. The control normal cells, NHBEX do not show growth inhibition by fenbendazole. We generated the results of this study prior to March 9, 1999.
- 7. All work disclosed in the invention disclosure form was conducted in the United States of America.

PHONE NO. : 779499 JUL. 26 2005 09:14AM P3

8. Therefore, the invention as reflected in the claims of the above-referenced patent application was reduced to practice prior to March 9, 1999.

FROM: JOHAR STD

We hereby declare that all statements made by our own knowledge are true and all statements made on information and belief are believed to be true and further that statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment under § 100 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of this application or any patent issued thereon.

	Japas Mulligradhyans
Date	Tapas Mukhopadhyay
Date	Sunil Chada
Date	Abner Mhashilkar
Date	Jack A Roth



#### **PATENT**

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Tapas Mukhopadhyay, et al.

Serial No.: 10/043,877

Filed: January 9, 2002

For: ANTIHELMINTHIC DRUGS AS A

TREATMENT FOR

HYPERPROLIFERATIVE DISEASES

Group Art Unit: 1642

Examiner: B. J. Fetterolf

Atty. Dkt. No.: INRP:095US

# SECOND DECLARATION OF TAPAS MUKHOPADHYAY, SUNIL CHADA, ABNER MHASHILKAR, AND JACK A. ROTH UNDER 37 C.F.R. §1.131

- 1. We are the joint inventors of the subject matter claimed in the above-referenced patent application, U.S.S.N. 10/043,887, filed January 9, 2002.
- 2. We are submitting this declaration to set forth facts demonstrating that we both conceived the idea of the invention as reflected in the claims of the above-referenced patent application and determined that it functioned, prior to March 9, 1999.
- 3. Submitted as Exhibit 1 to this declaration is a copy of a FACS assay showing our experiments and results, entitled figures "1A" and "1B" which was prepared prior to March 9, 1999.

- 4. Submitted as Exhibit 2 to this declaration is a copy of our experiments and results in a study of the treatment of p53 wild type lung cancer cells with fenbendazole, which took place prior to March 9, 1999.
- 5. Exhibit 1 shows the results of our cell cycle analysis involving A549 (p53 wild type) non-small cell lung cancer (NSCLC) cells that have been treated with fenbendazole. The results show that the untreated A549 cells (A549C), have a standard profile of cells in various phases of the cell cycle, G1/S/G2, indicating a dominant G1 population. In contrast, the fenbendazole treated cells (A549 7EN) show a depression of both G2 and S phases and a G1 block. Furthermore, the fenbebdazole treated cells show a distinct sub-G0-G1 population indicative of apoptotic cells. We generated the results of this cell cycle analysis prior to March 9, 1999.
- 6. Exhibit 2 shows the results of our study of the treatment of p53 wild type lung cancer with fenbendazole. We determined that treatment of p53 wild type lung cancer cells with fenbendazole inhibits growth. The study evaluated growth of lung cancer cells or normal lung epithelium (NHBEC) after treatment with fenbendazole (labeled FEN in the figure) and other agents. Both H1299 and H322 are p53 deficient NSCLC cells and show modest growth inhibition by fenbendazole after 5-7 days. In contrast, the p53 wild type cells A549 and H460 show dramatic inhibition of cell growth by fenbendazole that is evident by day 1-3 and 50-80% growth inhibition by day 5-7 of treatment. The control normal cells, NHBEX do not show growth inhibition by fenbendazole. We generated the results of this study prior to March 9, 1999.
- 7. All work disclosed in the invention disclosure form was conducted in the United States of America.

- 8. Therefore, the invention as reflected in the claims of the above-referenced patent application was reduced to practice prior to March 9, 1999.
- 9. We hereby declare that all statements made by our own knowledge are true and all statements made on information and belief are believed to be true and further that statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment under § 100 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of this application or any patent issued thereon.

Date	Tapas Mukhopadhyay
Date 08/10/05	Sunil Chad
Date	Abar Mhashilkar
Date	Jack A. Roth



**PATENT** 

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Tapas Mukhopadhyay, et al.

Serial No.: 10/043,877

Filed: January 9, 2002

For: ANTIHELMINTHIC DRUGS AS A

TREATMENT FOR

HYPERPROLIFERATIVE DISEASES

Group Art Unit: 1642

Examiner: B. J. Fetterolf

Atty. Dkt. No.: INRP:095US

# SECOND DECLARATION OF TAPAS MUKHOPADHYAY, SUNIL CHADA, ABNER MHASHILKAR, AND JACK A. ROTH UNDER 37 C.F.R. §1.131

- 1. We are the joint inventors of the subject matter claimed in the above-referenced patent application, U.S.S.N. 10/043,887, filed January 9, 2002.
- 2. We are submitting this declaration to set forth facts demonstrating that we both conceived the idea of the invention as reflected in the claims of the above-referenced patent application and determined that it functioned, prior to March 9, 1999.
- 3. Submitted as Exhibit 1 to this declaration is a copy of a FACS assay showing our experiments and results, entitled figures "1A" and "1B" which was prepared prior to March 9, 1999.


- 4. Submitted as Exhibit 2 to this declaration is a copy of our experiments and results in a study of the treatment of p53 wild type lung cancer cells with fenbendazole, which took place prior to March 9, 1999.
- 5. Exhibit 1 shows the results of our cell cycle analysis involving A549 (p53 wild type) non-small cell lung cancer (NSCLC) cells that have been treated with fenbendazole. The results show that the untreated A549 cells (A549C), have a standard profile of cells in various phases of the cell cycle, G1/S/G2, indicating a dominant G1 population. In contrast, the fenbendazole treated cells (A549 7EN) show a depression of both G2 and S phases and a G1 block. Furthermore, the fenbebdazole treated cells show a distinct sub-G0-G1 population indicative of apoptotic cells. We generated the results of this cell cycle analysis prior to March 9, 1999.
- 6. Exhibit 2 shows the results of our study of the treatment of p53 wild type lung cancer with fenbendazole. We determined that treatment of p53 wild type lung cancer cells with fenbendazole inhibits growth. The study evaluated growth of lung cancer cells or normal lung epithelium (NHBEC) after treatment with fenbendazole (labeled FEN in the figure) and other agents. Both H1299 and H322 are p53 deficient NSCLC cells and show modest growth inhibition by fenbendazole after 5-7 days. In contrast, the p53 wild type cells A549 and H460 show dramatic inhibition of cell growth by fenbendazole that is evident by day 1-3 and 50-80% growth inhibition by day 5-7 of treatment. The control normal cells, NHBEX do not show growth inhibition by fenbendazole. We generated the results of this study prior to March 9, 1999.
- All work disclosed in the invention disclosure form was conducted in the United
   States of America.


- 8. Therefore, the invention as reflected in the claims of the above-referenced patent application was reduced to practice prior to March 9, 1999.
- 9. We hereby declare that all statements made by our own knowledge are true and all statements made on information and belief are believed to be true and further that statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment under § 100 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of this application or any patent issued thereon.

Date	Tapas Mukhopadhyay
Date	Sunil Chada
Date	Abuer Mhashilkar
<i>§-15-05</i> Date	Jack A. Roth


### Exhibit 1











### Exhibit 2














NHBE Jen 105 mg Edwdl312 mos=1 V3 mos=1

= ===	Pay	1	Dar	2-3	- Day	· S	Da	<del>4</del> 7	9	<del></del>
antal i		15	3×	215	+3 70	<i>5</i> 3	X5 79	99		
2	26	13	46	23	67	50	82	103		
3		15	56	28		44	84	_		<del>                                     </del>
	S Z		メこ		43	47	,	105		
5 شرم <u>ر</u>		10		21	_		X5 81	101		<i>fs</i>
× 6	11	7	42	20	70	53 49		45	1	
<u>й</u> 7	11	10	38	19		45		103	<del> </del>	
6 EFFICIENCY LI	H	10	- 28	19	60	- 42		/03_	<del> </del>	
<b>4</b> 9	S X		メこ		<b>73</b>		X5			1. (1)
al37210	19	10	32	16	56	42	72	90		
11	24	12	30	18	52	•	69	86		2
12	23	12	35	18	50	•	70	88		
13					8					
) 14	XZ		メと		<b>٤</b> لا		ZX			
Best 5	22	]]	48	24	71	<i>5</i> 3		100		
16	24	12	52	26		47		101		
17	1	12	50	25	60	45	48	98		è
18										
19	人と		XZ		X3		Χ'n			
¥3 <sup>20</sup>	20	10	40	20	51	37	66	83		
21	15	8	42	21	55	41	62	78		<u> </u>
22	19	10	44	22	52	39	68	85-		
23	XZ		×2_		X3		X5			
d-F 24	19	10	20	10	38	29	57	7/		
25	17	9	20	10	48	30	55	69		:
26	20	10	24	12	39	29	57	73		
27										
28	Χı		41		メン		ΧŠ		<del></del>	
.29	17	4	18	5	22	1/	32	24		
¥-F-30	10	3	19	Š	27	14	39	39		
31	9	2	19	5	24	12	40	30		
			•		- ,		-			

= =	<del></del>	<del></del>	<del></del>				<del></del>		<del>y==</del>	
	Da	ug 1	Da	43	ba	45		Day -	1/2	
2 antrol	25	19	<b>1</b> -3		×5	p	×10	0 .		
<u> </u>	29	22	52	39	70	88	98	245		
	H ·	20	56	42	45	94	100	250		1
	26		50	38	12	90	92	230		
3 3 3 5 5 7 8 8	<b>X3</b>		<b>x</b> 3		Х3.	<del> </del> -	X5	<u> </u>		<del> </del>
-7	18	14	21	16	28	21	40	50		
<u>()</u> 7	17	13	19	14	30	23	38	48		
CHENCY 8		8	22	17	27	20	42	53		
9	10	<i>D</i>	22					ردو		
dl3(z10	<b>×3</b>		<b>X3</b>		X 2		X10			
11	30	23	54	41	72	90	96	240		-
. 12	27	20	44	33	68	85	98	245		
13	28	21	50	38	74	93	101	252		
) 14		······Æ					<u> </u>			
B Galis	, <b>太</b> 多 ,		х3		15	_	X10			
16	21	16	49	37	62	78	82	208		
17	27	20	47	35	68	85	90	225		
18	26	20	44	33	68	85	89	223	· · · · · · · · · · · · · · · · · · ·	
19									<del></del>	·
√3 <sup>20</sup>	人さ		<b>٤</b> لا		X5		X10			
21	30	23	52	39	71	89	95	238		
22	27	20	41	31	70	88	97	242		
23	25	19	49	37	48	85	99	248	******	
24										
1-1- 25	(X-3	1	<b>٧</b> 3		×3		X5			
26	15	11	20	15	29	22	38	48		
27	14	14	26	15	29	22	40	50		
28	16	12	18	14	30	23	38	48		
29	121		الخد		72		メと			
Y-1-30	7	2	7	2	15	8	20	10		
31	8	2	10	3	17	9	20	10		
The second secon	le	2]	9	2	15	8		12		
	=	•		•	-	-				

=	· Pay	<del></del>	3 Jay	•	bar		D	ay 7	9	T
Intral 1	12			200	133 4		<b>X</b> S			
2		/3	47	24	60		80	60		<del></del>
3	<b>∥</b>	15	42	21	62	47	<u> </u>	66		
<del></del>		13	44	22	63	47	91	68		
- <del>()</del> 4	1 2		XZ		<b>E</b> X		×3			
7e 35-508	<u> </u>	15	34	17	58	44	67	50		-
6	( <i>L</i>	12	38	19	56	42	70	53		
Ž 7	24	12	40	20	56	42	70	53		
7 EFFICIENCY				i						
9	XZ		XZ		ХЗ		x 3			+ 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
dl3/220	20	10	40	20	62	UT	89	67		
11	24	と	41	21	60	45	84	63		
12	30	10	40	20	60	45	86	65		
13							0.0			
) 14	XZ		XZ		X3		<b>x</b> 3			
B-5al 15	23	12	41	21	59	44	86	65		- 1
16	20	10	39	20	60	45	90	68		
17	24	12	36 .	18	64	48	\$8	66		1.1
18						7	0-0			
V-3 19	XZ		X2		<b>X3</b>		<u>አ</u> 3			
20	10	5	11	6	30	15	30	23		
21	15	8	19	10	22	17	36	24		
22	17	9	19	10	24	18	39	29		
23					7		-			
24	XZ		火工		<b>X3</b>		<i>x3</i>			
25	30	10	<i>3</i> 2	16	55	41	72	54		
26	23	12	42	H	57	43	74	56		
27	25	13	36	18			70	<i>3</i> 6	True again to the employers are represented	
28	<b>火</b>			1.0	55 X2	¥1	i	-63		
) 29	<u>-</u>	2	X /	3	20	10	メフ	15		
V-F 30	9		10	3	·		30	1		_
	8	2	12		20	10	27	14		:
31	L 13	3	16	4	1241	12	29	15_1		L
							l			

=	<b>D</b> =		<u> </u>		<del></del>	<del></del>	, ,			<del></del>
10 / 10	XZ Day	1	X3	ay3	X.5	y 5	X5 d	U	9	
'anhal'		1//	38	29	66	82	23 80	7 /1/		
2	24	14	42	32	60	75	90	2 113		
<u> </u>	<b> </b>	15	40	l .	63	79	42	115		
NE#22-206	30	15								
	メ <sub>ス</sub>		X3		X5		·X5			
Fen 6	17	9	25	19	35	44	51	64		
EFFICIENCY LI	19	10	27	20	36	45	52	65		5.
EFF)	19	10	20	15	30	38	55	69		
9			-							
dl31210	XZ		X3		LX5		X5			
11	27	14	38	29	60	75	80	100		
12	24	/3	44	<i>3</i> 3	62	48	88	110		
13	30	15	41	31	64	80	90	//3		
							·	,,,		
B-gal <sup>15</sup>	Xz		又3		X5		X5			
0 16	24	12	41	31	58	73	90	113		
17	28	14	38	29	63	79	87	109		:
18	25	13	40	30	60	45	81	101		
19								101		, ,
	XZ		<b>%3</b>		X5		15			
21	. 28	14	40	30	62	78	90	113		4
22	26	13	40	30	62	78	91	114		
23	24	12	39	29	60	75	90	113		
24									-	
d-F 25	. XZ		<b>人</b> 3		×5		XJ		***	/
26	15	8	28	21	34	43	54	68		
27	17	9	30	23	37	46	52	65		
28	20	10	25	19	33	41	54	68		
29	14		*1		*2		- 人3			
V-F-30	10	3	/0	3	14	7	19	14		
31	8	2	12	3	16	8	20	15		
	t	2	9	2	13	1	22	17		

= =		Y <b>1</b>		T		γ·····				<u> </u>	·
·		Day	#1	Da	43	Dan	#'S	· Da	y 7	9	
Cont	al.	XZ	ļ	×3 38	29	K3 (		XS	<i>O</i>		19.1
	2	29	15	40	30	66	50	80	100		
	3	23	12			59	49	8/	101		
	4	24	12	44	33	62	47	84	105		
72.50	5	XZ		.X.3		٨3		X5	artelinia inima vertilania minima y antima minima		
	6	24	12	33	25	50	38	77	96		
EN	7	20	10	34	26	57	43	16	95		100
EFFICIENCY I	8	20	10	30	23	54	41	72	90		
	9							·			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1231	ک <sup>10</sup>	XZ		<b>X3</b>		人ろ		XΣ			
·	11	21		40	30	61	46	80	100		
	12	24	12	41	3/	63	47	80	100		
<del></del>	13	26	13	35	36	60	45	82	102		
)	14								,		
Bg	25	人之		XZ		ХŠ		XJ			
<i>- 0</i>	16	20	10	36	24	62	47	79	99		
	17	20	10	37	28	58	44	48	98		1
	18	24	12	39	29	56	42	69	86		
	19										
<u>v3</u>	20	*2		<b>2</b> 4		<b>火</b> 3		X5			
	21	20	10	41	3/	62	47	85	103		***
	22	18	9	42	32	60	45	71	89		
	23	23	12	40	30	60	45	70	<b>4</b> 4		
	24										
d-7	25	XZ		X3		<b>⊁3</b>		15			
	26	18	9	30	23	48	36	64	80		
	27	20	10	34	26	50	38	79	99		
	28	20	10	37	28	46	35	70	88		
)	29	XZ		72		XZ		XZ			
¥-F	-30	16.	8	20	10	29	15	40	20		
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	31	18	9	20	10	30	15	39	مح		
		18	9	127	14 (	24	12	41	21		

					Day 1	sd			
	Con-NHB	15	13		14.33333			25	23
	FEN	10	7	10		1.414214		21	20
	di 312	10	12	12	11.33333	0.942809		16	15
	Lac Z	11	12	12	11.66667			24	26
	Adp53-1	-10-	8	_		0.471403		20	<u> 20</u> - 21
	dl- FEN	10	9		9.666667			10	10
			3	2	3.000007			5	5
	p53-FEN	4	3	2	3	0.010497		5	3
				1	Day 1	sd			
,	Con-H460	19	22		20.33333	1.247219		39	42
	FEN	14	13	8	11.66667			16	14
				_					
	dl 312	23	20	21	21.33333	1.247219		41	33
	Lac Z	16	20	20	18.66667			37	35
	Adp53-1	23	20	19	20.66667	1.699673	•	39	31
	di- FEN	11	14	12	12.33333	1.247219		15	15
	p53-FEN	2	2	2	2	0		2	3
				ı	Day 1	sd			
	Con- A549	14	15		14.66667			29	32
	FEN	9	10	10	9.666667	0.471405		19	20
	dl 312	14	13	15		0.816497		29	33
•	Lac Z	12	14	13		0.816497		31	29
	Adp53-1	14	13	12		0.816497		30	30
	di- FEN	8	9	10	9			21	23
	p53-FEN	3	2		2.333333			3	3
	poo ,	•	_	_					
						sd			
	Con-H322	15	12	12		1.414214		29	30
	FEN	12	10	10	10.66667	0.942809		25	26
	dl 312	11	12	13	12	0.816497		30	31
	Lac Z	10	10	12	10.66667	0.942809		27	28
	Adp53-1	10	9	12	10.33333	1.247219		31	32
	dl- FEN	9	10	10	9.666667	0.471405		23	26
	p53-FEN	8	9	9	8.666667	0.471405		10	10
v									
					Day 1	sd			
	Con-H129	13	15		13.66667			24	21
	FEN	15	12	12		1.414214		17	19
	di 312	10	12		10.66667			20	21
	Lac Z	12	10		11.33333			21	20
	Adp53-1	5	8		7.333333			6	10
	dl- FEN	10	12		11.66667			16	21
	p53-FEN	2	2		2.333333			3	3
	hoo-LEIA	4	4	3	2.55555	U.77 17UU		5	•

•

•

Day 3 sd  28 25.33333 2.054805 53 50 47 50 2.44949  19 20 0.816497 53 49 45 49 3.265986  18 16.33333 1.247219 42 39 37 39.33333 2.054805  25 25 0.816497 53 47 45 48.33333 3.399346  22 21 0.816497 38 41 39 39.33333 1.247219  12 10.66667 0.942809 29 30 29 29.33333 0.471405  5 5 0 11 14 12 12.33333 1.247219  Day 3 sd  Day 5 sd  38 39.66667 1.699673 88 94 90 90.66667 2.494438  17 15.66667 1.247219 21 23 20 21.33333 1.247219  38 37.33333 3.299832 90 85 93 89.33333 3.299832	
19 20 0.816497 53 49 45 49 3.265986 18 16.33333 1.247219 42 39 37 39.33333 2.054805 25 25 0.816497 53 47 45 48.33333 3.399346 22 21 0.816497 38 41 39 39.33333 1.247219 12 10.66667 0.942809 29 30 29 29.33333 0.471405 5 5 0 11 14 12 12.33333 1.247219  Day 3 sd  Day 5 sd 38 39.66667 1.699673 88 94 90 90.66667 2.494438 17 15.66667 1.247219 21 23 20 21.33333 1.247219 38 37.33333 3.299832 90 85 93 89.33333 3.299832	
18 16.33333 1.247219 42 39 37 39.33333 2.054805 25 25 0.816497 53 47 45 48.33333 3.399346  22 21 0.816497 38 41 39 39.33333 1.247219  12 10.66667 0.942809 29 30 29 29.33333 0.471405 5 5 0 11 14 12 12.33333 1.247219  Day 3 sd  Day 5 sd  38 39.66667 1.699673 88 94 90 90.66667 2.494438 17 15.66667 1.247219 21 23 20 21.33333 1.247219 38 37.33333 3.299832 90 85 93 89.33333 3.299832	
25	
22       21       0.816497       38       41       39       39.33333       1.247219         12       10.66667       0.942809       29       30       29       29.33333       0.471405         5       5       0       11       14       12       12.33333       1.247219         Day 3       sd         38       39.66667       1.699673       88       94       90       90.66667       2.494438         17       15.66667       1.247219       21       23       20       21.33333       1.247219         38       37.33333       3.299832       90       85       93       89.33333       3.299832	
12 10.66667 0.942809 29 30 29 29.33333 0.471405 5 5 0 11 14 12 12.33333 1.247219  Day 3 sd Day 5 sd 38 39.66667 1.699673 88 94 90 90.66667 2.494438 17 15.66667 1.247219 21 23 20 21.33333 1.247219 38 37.33333 3.299832 90 85 93 89.33333 3.299832	
Day 3       Sd       Day 5       Sd         38       39.66667       1.699673       88       94       90       90.66667       2.494438         17       15.66667       1.247219       21       23       20       21.33333       1.247219         38       37.33333       3.299832       90       85       93       89.33333       3.299832	
Day 3       Sd       Day 5       Sd         38       39.66667       1.699673       88       94       90       90.66667       2.494438         17       15.66667       1.247219       21       23       20       21.33333       1.247219         38       37.33333       3.299832       90       85       93       89.33333       3.299832	
38       39.66667       1.699673       88       94       90       90.66687       2.494438         17       15.66667       1.247219       21       23       20       21.33333       1.247219         38       37.33333       3.299832       90       85       93       89.33333       3.299832	
38       39.66667       1.699673       88       94       90       90.66687       2.494438         17       15.66667       1.247219       21       23       20       21.33333       1.247219         38       37.33333       3.299832       90       85       93       89.33333       3.299832	
17       15.66667       1.247219       21       23       20       21.33333       1.247219         38       37.33333       3.299832       90       85       93       89.33333       3.299832	
38 37.33333 3.299832 90 85 93 89.33333 3.299832	
AT 4 000000 TA OF OF OR 0000T 0 000000	
33 35 1.632993 78 85 82.66667 3.299832	
37 35.66667 3.399346 89 88 85 87.33333 1.699673	
14 14.66667 0.471405 22 22 23 22.33333 0.471405	
2 2.333333 0.471405 8 9 8 8.333333 0.471405	
Day 3 sd Day 5 sd	
30 30.33333 1.247219 82 75 79 78.68687 2.867442	
15 18 2.160247 44 45 38 42.33333 3.091206	
31 31 1.632993 75 78 80 77.68687 2.054805	
30 30 0.816497 73 79 75 75.66667 2.494438	
29 29.66667 0.471405 78 78 75 77 1.414214	•
19 21 1.632993 43 46 41 43.33333 2.054805	
2 2.666667 0.471405 7 8 7 7.333333 0.471405	
Day 3 sd Day 5 sd	
33 30.66667 1.699673 50 44 47 47 2.44949	•
23 24.66667 1.247219 38 43 41 40.66667 2.054805	
26 29 2.160247 46 47 45 46 0.816497	
29 28 0.816497 47 44 42 44.33333 2.054805	
33 32 0.816497 47 45 45 45.66667 0.942809	
28 25.66667 2.054805 36 38 35 36.33333 1.247219	
14 11,33333 1.885618 15 15 12 14 1.414214	
Day 3 sd Day 5 sd	
22 22.33333 1.247219 45 47 47 48.33333 0.942809	
20 18.66667 1.247219 44 42 42 42.66667 0.942809	
20 20.33333 0.471405 47 45 45.66667 0.942809	
18 19.66667 1.247219 44 45 48 45.66667 1.699673	
10 8.666667 1.885618 15 17 18 16.66667 1.247219	
18 18.33333 2.054805 41 43 41 41.66667 0.942809	
4 3.333333 0.471405 10 10 12 10.66667 0.942809	

•

•

			Day 7	sd
99	103	105	102.3333	2.494438
101	95	103	99.66667	3.399346
90	- 86	88	88	1.632993
100	101	98	99.66667	1.247219
83	78	85	82	2.94392
71	69	73	71	1.632993
24	29	30	27.66667	2.624669
			Day 7	sd
245	250	230	241.6667	8.498366
50	48	53	50.33333	2.054805
240	245	252	245.6667	4.921608
205	225	223	217.6667	8.993825
238	242	248	242.6667	4.109609
48	50	48	48.66667	0.942809
10	10	12	10.66667	0.942809
			Day 7	sd
111	113	115	113	1.632993
64	<b>65</b> .	69	66	2.160247
100	110	113	107.6667	5.557777
113	109	101	107.6667	4.988877
113	114	113	113.3333	0.471405
68	65	68	67	1.414214
14	15	17	15.33333	1.247219
			Day 7	sd
100	101	105	102	2.160247
96	95	90	93.66667	2.624669
100	100	102	100.6667	0.942809
99	98	88	94.33333	5.906682
103	89	88	93.33333	6.847546
80	99	88	89	7.788881
20	20	21	20.33333	0.471405
			<b>.</b> .	
			Day 7	sd account
60	66	68	64.66667	
50	53	53	52	1.414214
67	63	65	65	1.632993
65	68	66	66.33333	
23	27	29	26.33333	
54	56	53	54.33333	
15	14	15	14.66667	0.471405

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

#### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER:

#### IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.